


U. S. DEPARTMENT OF AGRICULTURE,
BUREAU OF PLANT INDUSTRY,

B. T. GALLOWAY, *Chief of Bureau.*



CIRCULARS OF THE BUREAU OF PLANT
INDUSTRY NOS. 1 TO 40,
INCLUSIVE, 1908-1909.

UNIV OF FL LIB
DOCUMENTS DEPT.

Call - 1909

U S DEPOSITORY

VOLUME I.



WASHINGTON:
GOVERNMENT PRINTING OFFICE.

1909.



Digitized by the Internet Archive
in 2013

<http://archive.org/details/burea00unit>

CONTENTS.

	Page.
CIRCULAR NO. 1.—SELF-BOILED LIME-SULPHUR MIXTURE AS A PROMISING FUNGICIDE.	
Introduction.....	5
Sulphur as a fungicide.....	6
The self-boiled lime-sulphur mixture.....	7
Preparation of the mixture.....	7
Apple bitter-rot experiments.....	8
Experiments in the treatment of other apple diseases.....	11
Apple blotch.....	11
Apple leaf-spot.....	12
Apple scab.....	12
Experiments in the treatment of peach diseases.....	12
Peach brown-rot and scab.....	12
Peach-leaf diseases.....	16
A combined fungicide and insecticide.....	16
Range of possible usefulness.....	17
CIRCULAR NO. 2.—AN IMPROVED METHOD OF SEPARATING BUCKHORN FROM RED CLOVER AND ALFALFA SEEDS.	
Introduction.....	5
The mucilaginous property of buckhorn seeds.....	6
Coating buckhorn seeds after moistening them.....	6
The dry sawdust method of separation.....	7
Sieves or screens.....	8
Alfalfa or red clover seeds in two grades.....	9
The kind of sawdust to use.....	10
Dry sand or road-dust method.....	10
Wet sawdust method.....	11
An alternative method.....	11
Wet sand method.....	11
Agglutinative method.....	11
Method of separation not injurious to clover and alfalfa seeds.....	12
CIRCULAR NO. 3.—SOME STEM TUMORS OR KNOTS ON APPLE AND QUINCE TREES.	
Occurrence of tumors.....	5
Description.....	6
Experiments.....	9
Structure of tumors.....	10
Relation of the tumors to other forms of disease.....	11
Effect of the disease upon trees.....	12
Suggestions to nurserymen, nursery inspectors, and orchardists.....	15
Reports desired on the distribution and severity of stem tumors or knots.....	16

IV CIRCULARS OF THE BUREAU OF PLANT INDUSTRY.

	Page.
CIRCULAR NO. 4.—THE TREATMENT OF DAMPING-OFF IN CONIFEROUS SEEDLINGS.	
Introduction	5
Procedure in experiments.....	6
Powders used	6
Sulphur	6
Dry Bordeaux mixture	6
Copper sulphate and lime.....	6
Solutions used	7
Potassium sulphid and permanganate.....	7
Formalin	7
Sulphuric acid	7
CIRCULAR NO. 5.—BARLEY CULTURE IN THE NORTHERN GREAT PLAINS.	
Development of the industry.....	5
Distinct barley districts	5
Comparison of yields of different varieties in the northern Great Plains area	6
Two-rowed compared with six-rowed barley	9
Breeding better strains	10
Maintaining pure seed	10
Cultivation	11
Uses of barley.....	12
CIRCULAR NO. 6.—THE CULTIVATION AND HANDLING OF GOLDENSEAL.	
Introduction	5
Habitat and range of goldenseal	6
Description of the plant.....	6
Description of the rhizome, or rootstock.....	9
Collection and preparation of the root	10
Brief medical history	10
Cultivation	11
Necessary soil conditions	11
Fertilizers	12
Artificial shade.....	12
Use of trees as shade	13
Attention required	13
Methods of propagation.....	13
Experiments with seeds	13
Experiments with divided rhizomes	15
Experiments with plants from fibrous roots	16
Yield of roots	16
Time necessary to mature the crop.....	17
Hydrastin content of cultivated roots	17
Market conditions.....	18
Highest and lowest prices.....	18
CIRCULAR NO. 7.—THE FIELD TREATMENT OF TOBACCO ROOT-ROT.	
Nature of root-rot	5
Field treatment of root-rot	5
Occurrence of root-rot	6
Field experiments showing the bad effects of alkaline commercial fertilizers on root-rot soils	6
Greenhouse experiments with alkaline fertilizers	7
Summary	8

	Page.
CIRCULAR NO. 8.—THE SMUTS OF SORGHUM.	
Introduction	5
Kinds of sorghum smuts.....	5
Grain, or kernel, smut.....	6
Treatment of grain smut	6
Formalin treatment	6
Hot-water treatment.....	7
Copper sulphate treatment.....	8
Head smut.....	8
Recommendations.....	8
CIRCULAR NO. 9.—TEXAS ROOT-ROT OF COTTON: FIELD EXPERIMENTS IN 1907.	
Introduction	3
Cause of root-rot	3
Reproduction and distribution of the fungus.....	3
Methods of control	4
Rotation of crops.....	4
Aeration of the soil by deep fall plowing.....	5
Summary	6
Conclusions	7
CIRCULAR NO. 10.—NOTES ON DRY FARMING.	
Dry-land agriculture in Montana	1
Plowing with gas-die traction engines.....	2
Dry-land agriculture in Utah.....	3
Dry-land agriculture in Colorado	4
CIRCULAR NO. 11.—DANGER IN JUDGING COTTON VARIETIES BY LINT PERCENTAGES.	
Introduction	3
Smaller or lighter seeds raise lint percentage	5
Advantage of large seeds and large-seeded varieties	6
Advantages of heavy seeds	8
Higher lint percentages with diminished fertility.....	8
Large yields without high percentages	9
High quality with low percentages	11
True standard of yield in cotton.....	12
A lint index for judging varieties.....	12
Conclusions	15
CIRCULAR NO. 12.—DRY-LAND GRAINS.	
Introduction	3
Diversity of crops necessary.....	3
Barley.....	4
Oats.....	4
Spelt and emmer	5
The grain sorghums	6
Rye	6
Minor crops.....	7
Wheat the principal crop.....	7
The arid region	7
The great wheat groups.....	8
The hard spring-wheat group	8
The durum wheats	8
Growing popularity of durum wheats.....	9

	Page.
CIRCULAR NO. 12.—DRY-LAND GRAINS—Continued.	
The great wheat groups—Continued.	
The hard winter or Crimean wheats	10
Intermountain wheats	11
Greater uniformity necessary	12
The Pacific wheats	12
Future improvement	13
Conclusions	14
CIRCULAR NO. 13.—THE WORK OF THE SAN ANTONIO EXPERIMENT FARM IN 1907.	
Introduction	3
Lines of work undertaken	4
Tillage experiments	4
Deep plowing and subsoiling	4
Early fall plowing	5
Manuring	5
The dust mulch	6
Winter tillage	7
Rotation of crops	7
Methods of preventing sterility in sorghum	9
Eradication of Johnson grass	9
Crops for forage and green manure	11
Crops raised for grain	13
Cultural experiments with cotton	13
Acclimatization of weevil-resisting types of cotton	14
Horticultural work	14
Conclusions	15
CIRCULAR NO. 14.—CHANGE OF VEGETATION ON THE SOUTH TEXAS PRAIRIES.	
CIRCULAR NO. 15.—THE FERTILIZING VALUE OF HAIRY VETCH FOR CONNECTICUT TOBACCO FIELDS.	
Introduction	1
Adaptability of hairy vetch to tobacco fields	1
Importance of inoculating hairy vetch	2
Pot experiments with hairy vetch	2
Nitrogen furnished by hairy vetch turned under	3
Pot experiments with tobacco	4
Conclusions	5
CIRCULAR NO. 16.—A NEW BASIS FOR BARLEY VALUATION AND IMPROVEMENT.	
CIRCULAR NO. 17.—INDEX TO PAPERS RELATING TO PLANT-INDUSTRY SUBJECTS IN THE YEARBOOKS OF THE UNITED STATES DEPARTMENT OF AGRICULTURE.	
Explanatory statement	3
Index	5
CIRCULAR NO. 18.—REAPPEARANCE OF A PRIMITIVE CHARACTER IN COTTON HYBRIDS.	
Introduction	3
Primitive characters shown in reversion and recapitulation	3

	Page.
CIRCULAR No. 18.—REAPPEARANCE OF A PRIMITIVE CHARACTER IN COTTON HYBRIDS—Continued.	
Reappearance of green fuzz in cotton hybrids.....	5
Differences between first and second generations.....	6
Expression of characters in first and second generations.....	7
Expression of characters determined by adjustments.....	9
Significance of primitive characters in breeding.....	10
Summary.....	11
CIRCULAR No. 19.—THE DECAY OF FLORIDA ORANGES WHILE IN TRANSIT AND ON THE MARKET.	
Introduction.....	1
Extent of loss from decay in Florida oranges.....	1
Cause of decay in oranges.....	2
Injuries and long stems.....	2
Packing-house experiments.....	3
Shipping experiments and market tests.....	5
Conclusion.....	8
CIRCULAR No. 20.—AN ELECTRICAL RESISTANCE METHOD FOR THE RAPID DETERMINATION OF THE MOISTURE CONTENT OF GRAIN.	
Introduction.....	3
Description of the electrical resistance method for measuring the moisture content of grain.....	3
Relation of electrical resistance to temperature.....	4
The determination of the moisture content of wheat at different temperatures.....	5
Apparatus for measuring electrical resistance of grain.....	6
Summary.....	8
CIRCULAR No. 21.—FARMERS' COOPERATIVE DEMONSTRATION WORK IN ITS RELATION TO RURAL IMPROVEMENT.	
Introduction.....	3
The necessity for improved rural conditions in the South.....	3
Some reforms needed in rural life.....	7
The remedy offered by the Farmers' Cooperative Demonstration Work ..	8
Organization of this special work.....	9
Instruction of the farmer.....	9
Field schools.....	10
Instruction confined to a few essential subjects.....	11
Special features of the work.....	11
Effect of the work on the farmer.....	12
Rural improvement the natural result of this work.....	13
Improved rural conditions already established.....	14
Bettered conditions among the colored people.....	18
CIRCULAR No. 22.—FARM METHODS OF APPLYING LAND PLASTER IN WESTERN OREGON AND WESTERN WASHINGTON.	
Introduction.....	3
Koon's land-plaster distributor.....	5
Olson's land-plaster distributor.....	9
End-gate seeders.....	13
Summary.....	14

	Page.
CIRCULAR No. 23.—POTATO DISEASES IN SAN JOAQUIN COUNTY, CALIFORNIA.	
Introduction	3
Potato wilt	4
The cause of "potato-sick" lands	4
Description of the wilt	4
The dry-rot of the tubers	5
Relationship of potato wilt to similar diseases in other crops	5
Soil fertility not a factor affecting wilt	6
Manner of infection and spread	6
Remedial measures for wilt	6
Rotation of crops	7
Wilt-resistant varieties of potatoes	7
Sanitary measures	7
A healthy seed supply	7
Potato scab	8
Losses from scab	8
Cause of scab	8
Preventive measures for scab	9
Seed treatment for scab	10
Cost of seed treatment	11
Decay of potatoes	11
Cause of the "leak"	11
Remedial measures for the "leak"	11
Rotation problems	12
Forage crops	12
Small grains for hay	13
Rye-grass	13
Vetches	13
Alfalfa	14
Other forage crops	14
CIRCULAR No. 24.—ALFALFA IN CULTIVATED ROWS FOR SEED PRODUCTION IN SEMIARID REGIONS.	
Introduction	3
Principles underlying alfalfa seed production	5
The relation of insects to the setting of alfalfa seed	8
Areas to which the growing of alfalfa for seed in cultivated rows is adapted	10
Selection of soil	11
Location of fields	11
Preparation of the seed bed	12
The prevention of the drifting of soil	13
Choice of seed for cultivation in rows	14
Method of seeding in rows	14
Rate of seeding and thickness of stand	15
Seeding in check rows to permit cross-cultivation	16
Time of seeding	17
Treatment of the stand the first season	17
Treatment of the stand after the first season	18
The right crop to leave for seed	18
Harvesting the seed crop	19
Possibilities of seed production in cultivated rows	20
Developing valuable strains for seed production	22
Conclusion	23

	Page
CIRCULAR No. 25.—THE COST OF CLEARING LOGGED-OFF LAND FOR FARMING IN THE PACIFIC NORTHWEST.	
Introduction	3
The extent of logged-off land	4
Hand method of clearing logged-off land	6
Donkey-engine method of clearing logged-off land	7
Methods of burning stumps	10
Use of chemicals in burning stumps	12
A stump-burning machine	12
Use of powder in clearing logged-off land	13
Cost of various methods of clearing land	14
CIRCULAR No. 26.—SOME FACTORS AFFECTING THE KEEPING QUALITIES OF AMER- ICAN LEMONS.	
Scope of the investigation of the keeping qualities of lemons	3
Losses of lemons from parasitic diseases	3
Losses of lemons from blue mold	4
Physiological weakness of lemons	4
Methods of preparing lemons for market	5
Physical characteristics of the different types of lemons	6
Chemical characteristics of lemons	8
Acids	8
Sugars	9
Water content	10
Keeping qualities of lemons	12
Relation to structure	12
Texture	13
Method of curing	13
The most serious causes of decay of lemons	15
Conclusion	17
CIRCULAR No. 27.—LIME-SULPHUR MIXTURES FOR THE SUMMER SPRAYING OF ORCHARDS.	
Introduction	3
Lime-sulphur sprays	4
Home-boiled lime-sulphur wash	4
Factory-boiled or commercial lime-sulphur solution	4
Self-boiled lime-sulphur mixture	5
Peach foliage injury test	7
Peach scab and brown-rot experiments	8
Experiment in Georgia	8
Experiment in Illinois	9
Experiment in Arkansas	11
Fruit staining	11
Recommendations for the treatment of scab and brown-rot	11
Cherry leaf-spot experiments	12
Results of the treatment	13
Apple-scab experiments	15
CIRCULAR No. 28.—CLOVER-SEED PRODUCTION IN THE WILLAMETTE VALLEY, OREGON.	
Introduction	3
Types of soils in the Willamette Valley	4
The seed yield of red clover	5

	Page.
CIRCULAR NO. 28.—CLOVER-SEED PRODUCTION IN THE WILLAMETTE VALLEY, OREGON—Continued.	
Means of securing a stand of red clover	5
Crop rotations practiced by growers of clover	7
Pasturing and clipping clover	8
The use of land plaster in growing clover	9
Harvesting clover for seed	10
Treating clover seed affected with honey dew	12
Insect pests of red clover	12
How clover-seed production and live stock improve the soil	12
Summary	14
CIRCULAR NO. 29.—EXPERIMENTS WITH EGYPTIAN COTTON IN 1908.	
Introduction	3
Imports and prices of Egyptian cotton in 1908	5
Spinning tests of 1907 fiber	6
Results of experiments in 1908	7
Experimental fields at Yuma and Sacaton, Ariz	7
Comparison of imported and acclimatized seed	8
Different behavior of the different plantings	9
Yields	9
Quality of the fiber	11
Plant-breeding work	12
Planting distance	14
Irrigation methods	14
Productiveness in relation to time of planting and rate of irrigation ..	14
Crossing with other varieties	15
Diseases and insect enemies	16
Alkali resistance	18
Present outlook for Egyptian cotton in the Southwestern States	18
Summary	20
CIRCULAR NO. 30.—IMPROVEMENT OF THE OAT CROP.	
Need for improvement	3
Lines along which improvement can be effected	4
Methods of improvement	4
Mechanical selection	4
Introduction of new seed	4
Use of the seed plot	5
Individual plant selection	6
Hybridization	10
Varieties	10
Conclusions	10
CIRCULAR NO. 31.—NOTES ON THE NUMBER AND DISTRIBUTION OF NATIVE LEGUMES IN NEBRASKA AND KANSAS.	
Introduction	3
Nitrogen fixation in soil by wild legumes	3
Difficulty of making investigation	3
Legumes form a large part of our native flora	6
Nodules abundant in wild legumes	6
Factors influencing the distribution of wild legumes	7
Legumes are crowded out on the richest soils	7
Number of genera and species in different localities	7
Value of legumes in pastures	8
Lesson of the prairie legume for the farmer	8

	Page.
CIRCULAR NO. 32.—MOISTURE CONTENT AND SHRINKAGE IN GRAIN.	
Wild legumes in the eastern United States	9
Introduction	3
Loss of material in handling	3
Reduction of moisture and shrinkage	4
Why the reduction of moisture and the shrinkage in grain are not the same	4
How the difference between the reduction of moisture and the shrinkage in grain can be determined	5
Explanation of tables	7
CIRCULAR NO. 33.—THE NECESSITY FOR NEW STANDARDS OF HOP VALUATION.	
Introduction	3
Present methods of valuation	4
Deficiencies of existing methods	5
Necessity for new standards	8
Movement for an international standard	10
CIRCULAR NO. 34.—THE WORK OF THE SAN ANTONIO EXPERIMENT FARM IN 1908.	
Introduction	3
The climate of San Antonio, Tex.	4
Soil conditions of the region	7
The San Antonio Experiment Farm	8
Equipment	8
Lines of work undertaken	9
Experiments with cereals	10
Experiments with corn	11
Experiments with forage crops	12
Mexican seedling peaches	14
Tillage experiments	15
The eradication of Johnson grass	16
Summary	17
CIRCULAR NO. 35.—THE PRESENT STATUS OF THE WHITE-PINE BLIGHTS.	
Introduction	3
History of the different forms of blight	4
Complex nature of the diseased condition	4
Leaf-blight	5
Description of leaf-blight	5
Distribution of leaf-blight	6
Possible causes of leaf-blight	6
Results of investigations of leaf-blight	8
Twig-blight	9
Twig-blight caused by winterkilling	9
Twig-blight caused by insects	9
Twig-blight caused by <i>Lophodermium brachysporum</i>	10
Sensitive nature of the white pine	10
Death of white-pine trees from other causes than blight	10
Competition	10
Insects	11
Root-rot	11
Lightning	11
Caution	11
Conclusions	11

	Page.
CIRCULAR No. 36.—THE BUD-ROT OF THE COCONUT PALM.	
Prevalence of bud-rot in tropical America.....	3
Comparison of bud-rot with various coconut diseases	3
Desirability of a comparison of diseased material from the eastern and western tropics.....	4
Necessity for further knowledge of the disease.....	4
CIRCULAR No. 37.—COMPARATIVE TESTS OF SUGAR-BEET VARIETIES.	
Introduction	3
Importance of comparative tests of sugar-beet varieties.....	3
Methods of conducting the tests.....	4
Methods of securing the seed used.....	5
Varieties of seed used and growers producing them.....	5
Results of the tests	6
CIRCULAR No. 38.—EUROPEAN CURRANT RUST ON THE WHITE PINE IN AMERICA.	
Introduction	1
Life history of the fungus.....	2
Field characters of the disease.....	3
Damage caused by the rust	3
Methods of combating the rust.....	3
Caution	4
CIRCULAR No. 39.—THE DECAY OF CABBAGE IN STORAGE: ITS CAUSE AND PREVENTION.	
Introduction	3
Factors contributing to decay.....	4
Field infections	4
House infection	4
Careless handling	5
Organisms concerned in decay.....	5
Black-rot	5
Soft-rot.....	6
Leaf-blight	6
Storage conditions necessary for preventing decay	6
Construction of storage houses to prevent decay	7
Methods of storing cabbage	8
Conclusions.....	8
CIRCULAR No. 40.—A SIMPLE METHOD OF DETECTING SULPHURED BARLEY AND OATS.	
Introduction	3
Method of bleaching used.....	3
The chemicals necessary for detecting sulphured grain.....	4
Method of testing grain.....	5
Necessity for cleanliness	6
Tests of natural barley in comparison with sulphured barley	7

ILLUSTRATIONS.

TEXT FIGURES.

	Page.
CIRCULAR NO. 1.—SELF-BOILED LIME-SULPHUR MIXTURE AS A PROMISING FUNGICIDE.	
FIG. 1. Crop of apples from a Ben Davis tree sprayed three times with self-boiled lime-sulphur mixture	5
2. Crop from an untreated Ben Davis tree in the same orchard as that shown in figure 1.....	11
CIRCULAR NO. 2.—AN IMPROVED METHOD OF SEPARATING BUCKHORN FROM RED CLOVER AND ALFALFA SEEDS.	
FIG. 1. Typical plant of buckhorn (<i>Plantago lanceolata</i> L.).....	5
2. Seeds of alfalfa (<i>a</i>); seeds of buckhorn (<i>b</i>).....	6
3. Alfalfa seeds (<i>a</i>); normal buckhorn seeds (<i>b</i>); immature or abnormal buckhorn seeds (<i>c</i>).....	7
4. Buckhorn seeds coated with a grade of sawdust too coarse to pass through a No. 22 mesh (<i>a</i>); similar seeds coated with sawdust passed through a No. 22 mesh and from which very fine particles have been screened out (<i>b</i>); similar seeds coated with very fine sawdust (<i>c</i>); similar seeds coated with white sand (<i>d</i>).....	8
5. Perforated sheet zinc for sieve to separate average grade of red clover and alfalfa seeds. Holes one-fifteenth inch.....	8
6. Box screen designed by the writer, with interchangeable sliding frames for various sizes of mesh. Suggested for the use of the farmer who may raise but a few acres of clover or alfalfa.....	9
7. The same screen shown in figure 6 with the frame withdrawn to show construction	9
8. Mixed sawdust passed through a No. 22 mesh (<i>a</i>); sawdust of same grade as <i>a</i> but with fine particles (<i>c</i>) sifted out through a No. 36 mesh (<i>b</i>) (the grade which should be used); fine sawdust sifted from <i>b</i> ; too fine sawdust (<i>c</i>).....	10
9. Fescue chaff (<i>a</i>); buckhorn seeds coated with chaff (<i>b</i>).....	11
10. Small seed balls, each being a buckhorn seed to which alfalfa seeds cling.....	12
CIRCULAR NO. 3.—SOME STEM TUMORS OR KNOTS ON APPLE AND QUINCE TREES.	
FIG. 1. Stem tumors on an old apple tree at Mesilla Park, N. Mex.....	6
2. Stem tumors on a Meech quince tree at Chico, Cal.....	7
3. Young tumors forming at the base of twigs on a Charlamoff apple tree at Fayetteville, Ark	8
4. Older tumors than those shown in figure 3 on a Charlamoff apple tree at Fayetteville, Ark	9
5. Roots produced from a tumor on a cutting taken from a Charlamoff apple tree and kept in moist soil.....	10
6. Roots produced from tumors on a cutting taken from a Meech quince tree near Chico, Cal.....	10

	Page.
CIRCULAR NO. 3.—SOME STEM TUMORS OR KNOTS ON APPLE AND QUINCE TREES—Continued.	
FIG. 7. Longitudinal section of a tumor on an apple limb after throwing out roots when placed in soil	11
8. Longitudinal section of woolly-knot on a root-grafted apple tree grown from apparently healthy scion and root.....	11
9. The woolly-knot form of hairy-root on a Northern Spy apple tree grown in an experiment.....	12
10. The simple form of hairy-root on an apple seedling grown in an experiment	13
11. The origin of hairy-root from buds on an apple seedling.....	13
CIRCULAR NO. 6.—THE CULTIVATION AND HANDLING OF GOLDENSEAL.	
FIG. 1. A flowering plant of goldenseal	7
2. A fruiting plant and a fruiting branch of goldenseal.....	8
3. Rhizome, or rootstock, of goldenseal.....	9
4. Rhizome, after division.....	14
5. Plant formed from bud on fibrous root of goldenseal.....	15
6. Seedlings of goldenseal	16
7. Goldenseal, showing bud on fibrous root.....	17
CIRCULAR NO. 9.—TEXAS ROOT-ROT OF COTTON: FIELD EXPERIMENTS IN 1907.	
FIG. 1. Experimental plats of cotton at Petty, Tex., showing the results of deep fall plowing	6
CIRCULAR NO. 16.—A NEW BASIS FOR BARLEY VALUATION AND IMPROVEMENT.	
FIG. 1. High-grade Swedish pedigree barley.....	6
2. Low-grade barley sold on the Milwaukee market.....	7
3. Malted barley from Pilsen, Austria	8
CIRCULAR NO. 19.—THE DECAY OF FLORIDA ORANGES WHILE IN TRANSIT AND ON THE MARKET.	
FIG. 1. An interior view of a packing house in Florida, showing the large hopper used for delivering oranges to the sizing machine.....	6
2. Interior view of a packing house in California, showing the machinery used in preparing oranges for shipment.....	7
CIRCULAR NO. 20.—AN ELECTRICAL RESISTANCE METHOD FOR THE RAPID DETERMINATION OF THE MOISTURE CONTENT OF GRAIN.	
FIG. 1. Chart showing the relation between the moisture content and the electrical resistance of wheat.....	4
2. Chart showing the influence of temperature upon the electrical resistance of wheat.....	5
3. Chart for determining the moisture content of wheat when the electrical resistance and temperature are known.....	7
CIRCULAR NO. 22.—FARM METHODS OF APPLYING LAND PLASTER IN WESTERN OREGON AND WESTERN WASHINGTON.	
FIG. 1. Field showing the effect of land plaster on clover.....	5
2. An implement for distributing land plaster devised by Mr. Clarence Koon, Lane County, Oreg.....	6
3. Cross section of the box of the land-plaster distributor shown in figure 2.....	6
4. The lever of the land-plaster distributor shown in figure 2 complete as it rests upon the board that supports it.....	8
5. The lever of the land-plaster distributor shown in figure 2.....	8

CIRCULAR No. 22.—FARM METHODS OF APPLYING LAND PLASTER IN WESTERN OREGON AND WESTERN WASHINGTON—Continued.

- FIG. 6. An implement for distributing land plaster devised by Mr. Charles Olson, of Washington County, Oreg. 9
7. Bottom view of Olson land-plaster distributor, showing the holes in the box through which the plaster passes and the attachment of the tongue and its braces to the box 10
8. Cross section of the box of the land-plaster distributor shown in figure 6. 10
9. Inside view of the box of the land-plaster distributor illustrated in figure 6, showing the feed holes, the square rod that revolves in the bottom of the box, and the position of the lever when used in slipping the upper sheet of galvanized iron to open or close the feed holes. 12
10. A double-fan end-gate seeder attached to the hind wheels of a wagon. 13

CIRCULAR No. 24.—ALFALFA IN CULTIVATED ROWS FOR SEED PRODUCTION IN SEMIARID REGIONS.

- FIG. 1. Heavily seeded isolated alfalfa plant grown near Washington, D. C., where the climatic conditions are much more unfavorable to the production of alfalfa seed than in the semiarid sections. 7
2. Alfalfa in cultivated rows for seed, near Stockton, Kans. 10
3. Mowing machine with dropper attachment in operation in a field of alfalfa in cultivated rows in western Nebraska 19

CIRCULAR No. 25.—THE COST OF CLEARING LOGGED-OFF LAND FOR FARMING IN THE PACIFIC NORTHWEST.

- FIG. 1. Logged-off land cleared of stumps in winter and sowed to oats in spring 3
2. Stump pasture land. 4
3. Pulling a stump with a donkey engine 7
4. Elevation showing method of setting donkey engine and gin pole in clearing land 7
5. Diagram showing position of donkey engine and rigging for clearing a 10-acre tract 8
6. Stumps piled around gin pole in clearing with donkey engine. 9
7. Diagram showing method of preparing a stump for burning. 10
8. Diagram showing method of charcoaling or pitting stumps. 11
9. Box for keeping powder warm. 14

CIRCULAR No. 27.—LIME-SULPHUR MIXTURES FOR THE SUMMER SPRAYING OF ORCHARDS.

- FIG. 1. Unsprayed Montmorency cherry tree defoliated by the cherry leaf-spot 14
2. Montmorency cherry tree sprayed with self-boiled lime-sulphur mixture for the control of leaf-spot, showing full foliage. 15

CIRCULAR No. 28.—CLOVER-SEED PRODUCTION IN THE WILLAMETTE VALLEY, OREGON.

- FIG. 1. Field showing the effect of land plaster on clover. 9
2. The side-delivery buncher. 10

CIRCULAR No. 30.—IMPROVEMENT OF THE OAT CROP.

- FIG. 1. Diagram showing the planting plan of seed plat for the improvement of oats by individual plant selection.

CIRCULAR No. 34.—THE WORK OF THE SAN ANTONIO EXPERIMENT FARM IN 1908.

- FIG. 1. Sketch showing the location of fields, crops, etc., on the San Antonio Experiment Farm..... 9

CIRCULAR No. 37.—COMPARATIVE TESTS OF SUGAR-BEET VARIETIES.

- FIG. 1. Diagram showing the standing of sugar-beet varieties tested, at each station and at all stations..... 7
2. Diagram showing the standing of sugar-beet varieties tested, for each year and for all years 8

CIRCULAR No. 40.—A SIMPLE METHOD OF DETECTING SULPHURED BARLEY AND OATS.

- FIG. 1. Chemicals and apparatus used for detecting sulphured grain..... 5
2. Eight bottles filled with solutions, showing the results of tests of sulphured commercial barley..... 7
3. Seven bottles filled with solutions, showing the results of tests of samples containing different percentages of sulphured barley and of samples of natural, or unsulphured, barley from the agricultural experiment stations of Nebraska, Wisconsin, and Kansas..... 8

C

